

# early years

"ready-made for the trade"





# early years

## Sandpit with Bench

### Product Dimensions

1200 (L) 1200 (W) 435mm (H)

Sand Required: 0.4m<sup>3</sup> (not Included)




## Standard Sandpit

### Product Dimensions

Open: 4260 (L) 1220 (W) 213mm (H)

Closed: 2400 (L) 1220 (W) 213mm (H)

Sand Required: 0.24m<sup>3</sup> (not Included)



## Large Sleeper Sandpit

### Product Dimensions

2380 (L) 1305 (W) 409 mm (H)

Sand Required:

0.79m<sup>3</sup> (not Included)



## Small Sleeper Sandpit

### Product Dimensions

1813 (L) 1305 (W) 409mm (H)

Sand Required: 0.59m<sup>3</sup> (not Included)

HDPE Lid Included



## Small Sleeper Sandpit with Sand Wall

### Product Dimensions

1908 (L) 1305 (W) 1307mm (H)

Sand Required: 0.59m<sup>3</sup> (not Included)

(Sand Wall available separately)

## Sand Wall (Wall Only)

1200 (L) 261 (W) 1307mm (H)



# early years

## Sand Play Table

### Product Dimensions

1020 (L) 855 (W) 650mm (H)

Sand Required: 0.089m<sup>3</sup> (not Included)



## Sand Workshop Table

### Product Dimensions

1200 (L) 825 (W) 750mm (H)

Sand Required: 0.08m<sup>3</sup> (not Included)



## Sheltered Sandpit

### Product Dimensions

1940 (L) 1880 (W) 2148mm (H)

Sandpit Height: 390mm

Sand Required: 0.86m<sup>3</sup> (not Included)

HDPE Lid Included



## 3m Sandpit Shelter

### Product Dimensions

3202 (L) 3202 (W)

3216mm (H)

Sand Required: 2.87m<sup>3</sup> (not Included)

Bespoke options available, enquire for more information.

Steel feet options available upon request.




# early years

▼ Sand Conveyor with Decks  
Product Dimensions  
3979 (L) 1060 (W) 2200mm (H)



▼ Excavation Sandpit  
Product Dimensions  
2380 (L) 1305 (W) 2500mm (H)  
Sand Required: 0.79m<sup>3</sup> (not Included)



▼ Sand Crane with Chute  
Product Dimensions  
631 (L) 390 (W) 1500mm (H)



Bespoke options available, enquire for more information.

# early years

▼ Sand Conveyor  
Product Dimensions  
2190 (L) 225 (W) 2200mm (H)



▼ Playground Scales  
Product Dimensions  
780 (L) 265 (W) 1100mm (H)



▼ Sand Crane  
Product Dimensions  
304 (L) 230 (W) 1500mm (H)



All Sand Pit features can be installed as standalone products!

▼ Single Woodland Sand Tower  
Product Dimensions  
4177 (L) 2200 (W) 3043mm (H)  
Sand Required: 0.59m<sup>3</sup> (not Included)



Steel feet options available upon request.



**Play Table (Free Standing)**  
Product Dimensions  
1200 (L) 800 (W) 665mm (H)



**Mini Beast Play Panel**  
Product Dimensions  
1800 (L) 190 (W) 1100mm (H)




**1.8m Mud Kitchen**  
(Free Standing)  
Product Dimensions  
1800 (L) 600 (W) 1004mm (H)



**1.2m Mud Kitchen**  
(Free Standing)  
Product Dimensions  
1200 (L) 600 (W) 1004mm (H)



**Play Cafe**  
Product Dimensions  
1800 (L) 826 (W) 1109mm (H)



**Play Cafe and 1.8m Mud Kitchen combo**




Bespoke options available, enquire for more information.

**Play Train**  
(Free Standing)  
Product Dimensions - Engine  
890 (L) 300 (W) 335mm (H)  
Product Dimensions - Carriages  
650 (L) 300 (W) 220mm (H)





**Timber Express Train**  
Product Dimensions - Engine  
2262 (L) 1177 (W) 1800mm (H)  
Free Fall Height: 1160mm  
Safety Surfacing: 19.78m<sup>2</sup>

Product Dimensions - Passenger Carriage  
1247 (L) 1142 (W) 922mm (H)  
Product Dimensions - 1st Class Carriage  
1390 (L) 1177 (W) 1800mm (H)  
Product Dimensions - Tunnel Carriage  
1323 (L) 1126 (W) 948mm (H)  
Free Fall Height: 948mm  
Safety Surfacing: 15.98m<sup>2</sup>



Carriages can be purchased separately.



Steel feet options available upon request.




## early years


### Pirate Ship ▶

#### Product Dimensions

5568 (L) 4282 (W) 2600mm (H)



No safety surface required for any of the boat units as critical fall height is less than 600mm. However, we suggest allowing an appropriate free space around the item in compliance with BS EN1176.




### Trawler ▶

#### Product Dimensions

7333 (L) 3026 (W) 3000mm (H)

Free Fall Height: 585mm



Bespoke options available, enquire for more information.

## early years

### Captain's Boat ▶

#### Product Dimensions

5010 (L) 3192 (W) 2000mm (H)




### Wigwam ▼

#### Product Dimensions

1950 (L) 1950 (W)

1170mm (H)

Bespoke HDPE engraving and colours available



### Talk Tubes ▶

#### Product Dimensions

1100mm (H)

Flower Diameter: 320mm

Available in 2 and 3 way configurations, connected via 6m of plastic tubing 200mm below ground.



### Timber Tipi ▶

#### Product Dimensions

2856 (L) 2752 (W) 1850mm (H)



Steel feet options available upon request.



**Play Hut** ▼  
Product Dimensions  
1911 (L) 2007 (W) 1777mm (H)



**Climbing Den** ▼  
Product Dimensions  
2512 (L) 1500 (W) 1478mm (H)  
Free Fall Height: 1478mm  
Safety Surfacing: 23.26m<sup>2</sup>



**Friendship Bench** ▼  
Product Dimensions  
2200 (L) 195 (W) 1879mm (H)  
Bespoke HDPE engraving  
available on request



**1.2m Early Years Curvy Bench** ▼  
Product Dimensions  
1190 (L) 519 (W) 445mm (H)




**Log Cabin** ▼  
Product Dimensions  
2571 (L) 2400 (W)  
2203mm (H)



**Sleeper Tunnel with Steps** ▼  
Product Dimensions  
2400 (L) 1390 (W) 1700mm (H)  
Safety Surfacing: 22.1m<sup>2</sup>  
Free Fall Height: 859mm  
Tunnel Diameter: 585mm



**1m Underground Sleeper Tunnel** ▼  
(Mound not included)  
Product Dimensions  
2920 (L) 1165 (W) 599mm (H)  
Free Fall Height: 599mm  
Tunnel Diameter: 440mm



**Tunnel Mound with Slide** ▶  
Product Dimensions  
4330 (L) 2192 (W) 1800mm (H)  
Free Fall Height: 900mm  
Safety Surfacing: 28.49m<sup>2</sup>  
Tunnel Diameter: 585mm



◀ **Tunnel Mound**  
Product Dimensions  
3390 (L) 2192 (W) 1800mm (H)  
Free Fall Height: 900mm  
Safety Surfacing: 26.5m<sup>2</sup>  
Tunnel Diameter: 585mm





**Corner Stage with Roof**  
**Product Dimensions**  
 3580 (L) 2371 (W) 2642mm (H)  
**Stage Dimensions**  
 3444 (L) 2173mm (W)  
**Height (internal head room):** 1600 to 2255mm



**Outdoor Theatre - Arch Only**  
**Product Dimensions**  
 2400 (L) 158 (W) 2080mm (H)  
 Bespoke engraving available on request.  
**Height (internal head room):** 1710mm



**Outdoor Theatre**  
**Product Dimensions**  
 2520 (L) 2400 (W) 2080mm (H)  
 Bespoke engraving available on request.  
**Height (internal head room):** 1490mm

**1.95m Stage**  
**Product Dimensions**  
 1950 (L) 1950 (W) 121mm (H)

**3.9m Stage**  
**Product Dimensions**  
 3900 (L) 1950 (W) 121mm (H)

Bespoke options available, enquire for more information.



**Themed Timber Arches**  
**Product Dimensions**  
 169 (L) 1915 (W) 2242mm (H)  
**Height (internal head room):** 1900mm  
**Width (internal):** 1275mm  
 More designs available.  
 Totem Poles available separately



**Animal Posts**  
**Product Dimensions**  
 280-462 (L) 114 (W) 1000mm (H)  
 35 Different UK animal designs available in a variety of different HDPE colours.  
 More Animal Post designs can be found at [www.aeevans.co.uk](http://www.aeevans.co.uk)



Steel feet options available upon request.



# early years



**Nursery Rhyme Totem Poles**  
Product Dimensions  
195 (L) 95 (W) 1500mm (H)

- Hey Diddle Diddle
- Humpty Dumpty
- Incy Wincy Spider
- Twinkle Twinkle

**Seasonal Totem Poles**  
Product Dimensions  
195 (L) 95 (W) 1500mm (H)

- Spring
- Summer
- Autumn
- Winter



**Play Time Totem Poles**  
Product Dimensions  
195 (L) 95 (W) 1500mm (H)

- Height and Hands
- Finger Maze Madness
- Minibeast Manor
- Treasure Map

All totem poles are sold individually but can be purchased as a group.



**Sight and Touch Sensory Totem Pole**  
Product Dimensions  
195 (L) 95 (W) 1500mm (H)

**Forest School Totem Pole**

**Emotions Totem Pole**

**Den Posts**  
Product Dimensions  
1200 - 1500mm(H)  
125 (D)

# early years

**HDPE Play Panels with Timber legs**  
Product Dimensions  
1050 (L) 125 (W) 1200mm (H)

**Panel Only**  
Product Dimensions  
800 (L) 595(H) 19mm (W)

HDPE Play Panels available with timber legs or as panels only.  
Available in a variety of colours.



Bespoke options available, enquire for more information.

Steel feet options available upon request.



# early years

## Bluebell Tower Unit ▶

### Product Dimensions

2563 (L) 1974 (W) 1250mm (H)

Minimum Surface Area: 25.14m<sup>2</sup>

5525 (L) 5405mm (W)

Free Fall Height: 579mm



## Daisy Tower Unit ▼

### Product Dimensions

2983 (L) 2588 (W) 1250mm (H)

Minimum Surface Area: 27.75m<sup>2</sup>

5969 (L) 5550mm (W)

Free Fall Height: 579mm



Bespoke options available, enquire for more information.

# early years

## Poppy Tower Unit

### Product Dimensions

3697 (L) 2588 (W) 1250mm (H)

Minimum Surface Area: 31.17m<sup>2</sup>

7155 (L) 5550mm (W)

Free Fall Height: 579mm



## Daffodil Tower Unit ▼

### Product Dimensions

5449 (L) 3934 (W) 2862mm (H)

Minimum Surface Area: 46.31m<sup>2</sup>

8926 (L) 6914mm (W)

Free Fall Height: 900mm



Steel feet options available upon request.



# early years

## Sunflower Tower Unit ▼

### Product Dimensions

4967 (L) 3163 (W) 2862 mm (H)

Minimum Surface Area: 41.61m<sup>2</sup>

8418 (L) 5986mm (W)

Free Fall Height: 900mm



## Foxglove Tower Unit ▼

### Product Dimensions

5424 (L) 4696 (W) 2862mm (H)

Minimum Surface Area: 49.07m<sup>2</sup>

8746 (L) 7621 mm (W)

Free Fall Height: 900mm



Bespoke options available, enquire for more information.

# early years

## Mountain Range Play Scene ▼

### Product Dimensions (Suggested Layout)

3900 (L) 760 (W) 1490mm (H)

Includes 6 Individual Sections with HDPE Panels



## Galleon Play Scene ▼

### Product Dimensions (Suggested Layout)

3977 (L) 1000 (W) 2100mm (H)

Includes 5 Individual Sections with HDPE Panels



## Castle Play Scene ▼

### Product Dimensions (Suggested Layout)

3310 (L) 1085 (W) 2000mm (H)

Includes 5 Individual Sections with HDPE Panels



Steel feet options available upon request.



## early years



### ▼ Mini Timber Trail 1

#### Product Dimensions

5721 (L) 375 (W) 1800 mm (H)

Minimum Surface Area: 27.47m<sup>2</sup>

8696 (L) 3375mm (W)

Free Fall Height: 405mm

Consists of: 2 Mini Balance Beams, Mini Rope Weave, Mini Balance Weaver.

### Mini Timber Trail 2 ▼

#### Product Dimensions


4991 (L) 625 (W) 1800 mm (H)

Minimum Surface Area: 24.29m<sup>2</sup>

7916 (L) 3625mm (W)

Free Fall Height: 408mm

Consists of: Mini Drop Rope Traverse, Mini Uneven Bridge, Mini Balance Weaver.



### Mini Timber Trail 3 ►

#### Product Dimensions

7155 (L) 620 (W) 1800 mm (H)

Minimum Surface Area: 32.74m<sup>2</sup>

10,168 (L) 3589mm (W)

Free Fall Height: 400mm

Consists of: Mini Balance Beam, Mini Drop Rope Traverse, Mini Stepping Posts, Mini Rope Walk, Mini Balance Weaver.

## early years

### Mini Timber Trail 4 ▼

#### Product Dimensions

10,043 (L) 973 (W) 1800 mm (H)

Minimum Surface Area: 43.99m<sup>2</sup>

13,019 (L) 3973mm (W)

Free Fall Height: 398mm

Consists of: 2 Mini Balance Beams with Ropes, Mini Drop Rope Traverse, 2 Triangular Mini Decks, Mini Wobble Bridge, Mini Rope Walk, Mini Stepping Logs.



### Mini Timber Trail 5 ▼

#### Product Dimensions


7018 (L) 5964 (W) 1800 mm (H)

Minimum Surface Area: 53.76m<sup>2</sup>

10,018 (L) 8961mm (W)

Free Fall Height: 415mm

Consists of: 3 Mini Balance Beams, Mini Balance Weave, 3 Mini Triangular Rope Walks, Triangular Mini Deck, Mini Drop Rope Traverse, Mini Rope Weave.



### Mini Timber Trail 6 ►

#### Product Dimensions

14,277 (L) 405 (W) 1800 mm (H)

Minimum Surface Area: 56.28m<sup>2</sup>

17,277 (L) 3375mm (W)

Free Fall Height: 495mm

Consists of: Mini Balance Beam, Mini Traverse Wall, Mini Stepping Logs, Mini Drop Rope Traverse, Mini Crossover Balance Beams, Mini Rope Walk, Mini Uneven Bridge, Mini Rope Weave, Mini Balance Weave.





**Balance Beam** ▲  
Product Dimensions  
1200 (L) 600 (W) 190mm (H)  
Free Fall Height: 190mm



**Sloping Balance Beam** ▲  
Product Dimensions  
1200 (L) 600 (W) 342mm (H)  
Free Fall Height: 342mm



**Balance Weave** ▲  
Product Dimensions  
1200 (L) 600 (W) 1000mm (H)  
Free Fall Height: 190mm



**Dual Balance Beam** ▲  
Product Dimensions  
1200 (L) 600 (W) 342mm (H)  
Free Fall Height: 342mm



**Stepping Logs** ▲  
Product Dimensions  
1200 (L) 600 (W) 400mm (H)  
Free Fall Height: 400mm



**Arched Balance Beam** ▲  
Product Dimensions  
1200 (L) 600 (W) 322mm (H)  
Free Fall Height: 322mm



**Dual Arched Balance Beam** ▲  
Product Dimensions  
1200 (L) 600 (W) 322mm (H)  
Free Fall Height: 322mm



**Arched Balance Weave** ▲  
Product Dimensions  
1200 (L) 600 (W) 1150mm (H)  
Free Fall Height: 322mm

Bespoke options available, enquire for more information.



**Low Stepping Block** ▲  
Product Dimensions  
360 (L) 360 (W) 170mm (H)  
Free Fall Height: 170mm



**High Stepping Block** ▲  
Product Dimensions  
360 (L) 360 (W) 314mm (H)  
Free Fall Height: 314mm



**Ladder Walk** ▲  
Product Dimensions  
1200 (L) 600 (W) 128mm (H)  
Free Fall Height: 128mm




**ZigZag Walk** ▲  
Product Dimensions  
1196 (L) 600 (W) 128mm (H)  
Free Fall Height: 128mm



**A-Frame Climber** ▲  
Product Dimensions  
1157 (L) 600 (W) 598mm (H)  
Free Fall Height: 598mm



**A-Frame Log Climber** ▲  
Product Dimensions  
1157 (L) 600 (W) 598mm (H)  
Free Fall Height: 598mm



**1m Tunnel** ▲  
Product Dimensions  
1040 (L) 800 (W) 599mm (H)  
Free Fall Height: 80mm



**Pyramid Steps** ▲  
Product Dimensions  
1200 (L) 600 (W) 458mm (H)  
Free Fall Height: 458mm

Steel feet options available upon request.






**Bundle 1**  
Includes  
Single Block x4  
Double Block x2  
Short Beam x1  
Long Beam x1  
Ridged Beam x1

**Bundle 2**  
Includes  
Single Block x4  
Double Block x3  
Short Beam x1  
Long Beam x1  
Ridged Beam x1  
Humped Beam x1



**Bundle 3**  
Includes  
Single Block x6  
Double Block x6  
Short Beam x1  
Long Beam x1  
Ridged Beam x1  
Step Up Beam x2  
Humped Beam x1




Bespoke options available, enquire for more information.



**Bundle 4**  
Includes  
Single Block x6  
Double Block x10  
Short Beam x1  
Long Beam x1  
Ridged Beam x1  
Step Up Beam x2  
Humped Beam x1  
ZigZag Bridge x1

**Bundle 5**  
Includes  
Single Block x6  
Double Block x12  
Short Beam x1  
Long Beam x1  
Ridged Beam x1  
Step Up Beam x2  
Humped Beam x1  
ZigZag Bridge x1  
Arched Bridge x1



Steel feet options available upon request.



## Whale Slide Unit

### Themed Slide Units

#### Product Dimensions

3830 - 4040mm (L)


1060 - 1170mm (W)

1730 - 2460mm (H)

Minimum Surface Area: 24.5m<sup>2</sup>

7160 (L) 3990mm (W)

Free Fall Height: 900mm



## Boat Slide Unit



## Rocket Slide Unit



## Single Woodland Tower 1



## Single Woodland Tower 2



### Double Woodland Tower 1

#### Product Dimensions

5411 (L) 2864 (W) 3093mm (H)

Minimum Surface Area: 40.5m<sup>2</sup>

8423 (L) 6258mm (W)



Free Fall Height: 900mm

See our Timber Towers brochure for more Woodland and Slide Tower designs.

## Piccolo with Ropes



## Midi



See our Clamber Stacks brochure for more designs.

### Clamber Stack Sorella with Ropes

#### Product Dimensions

3620 (L) 3200 (W) 1750mm (H)

Minimum Surface Area: 28.67m<sup>2</sup>

6619 (L) 6203mm (W)

Free Fall Height: 599mm

### Toddler Shelter

#### Product Dimensions

1340 (L) 1881 (W) 2156mm (H)



### Large Toddler Shelter

#### Product Dimensions

1940 (L) 1881 (W) 2156mm (H)



## Hex Shelter



## Square Shelter



See our Shelters brochure for more designs.

### Enchantment Area

Once Upon a Time Chair x 1

Fairy Tale Button Stools x 15

1.8m Curved Sleeper Benches x 3



## 1.3m Curved Bench



## Button Stool



### Wavy Bridge

#### Product Dimensions

2282 (L) 1457 (W) 1200mm (H)



More Timber Bridges can be found at

[www.aeevans.co.uk](http://www.aeevans.co.uk)

## Inclusive Bridge



## 2.1m Timber Bridge







Established for over 50 years, A E Evans are the UK's market leader in the design and manufacture of timber based play equipment for supply directly to the trade. All products are designed and produced in the UK from sustainably sourced timber and EvaRound timbers can be FSC® certified (FSC® C102594) on request.

The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key to A E Evans. The Early Years range accommodates all budgets and play scheme sizes.

Our uncompromising approach to safety during the design and manufacturing process is paramount. With this in mind the Early Years range is designed to meet the requirements of BS EN 1176.

In order to ensure the highest level of accuracy, all units are produced on our custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.



Tel: 01978 710445

Email: [sales@aeevans.co.uk](mailto:sales@aeevans.co.uk)

[www.aeevans.co.uk](http://www.aeevans.co.uk)

A E Evans Ltd, Lightwood Green, Overton-on-Dee, Wrexham, LL13 0HU